



Township N^o VIII North, Range N^o V West 2nd Mer.

Surveyed by John McDonald 1815

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c	Between Sections	Between Sections	Between Sections	Between Sections
33 & 34	Level land rich Soil - Tim. Sugar, Beech, Walnut, long th Spice	27 & 28	Low grounds, Rich Soil - Timber, Blackberry & Walnut long th Spice	20 & 21	Wet Prairie
25, 26	ditto - Tim. Oak, Poplar & Beech - do	27, 28	ditto - " Blackberry, Beech & Sugar - h. Spice	29, 30	Prairie
25, 26	ditto - " Oak, Beech, Sugar - do	28, 29	Level lands Rich Soil - Blackberry, Walnut & Sugar - " Spice	20, 29	Level land - Barrens & Prairie - long th Oak & Hickory
24, 25	ditto - " " - do	21, 22	Low grounds - " ditto - " Spice	19, 20	Prairie
23, 24	Broken land - " Sugar, Beech &c - do	15, 22	ditto rich Soil - " Walnut, Sugar, Poplar - " Spice	19, 20	Level land - Timber Oak &c - " Hickory
13, 24	Level land - Timber, Sugar, Poplar, Beech &c - do	15, 18	Broken land - " Beech, Sugar - " Spice	17, 20	ditto
13, 14	Low grounds - " Walnut, Blackberry &c - Since 1810	10, 15	Broken land, Rich Soil - Oak, Beech, Walnut & Sugar - " Spice	18, 19	Level land independent Soil, Tim. Oak & Hickory - " Hickory &c
12, 13	ditto - " Blackberry, Sugar & Beech - " Spice &c	9, 10	Level land - " Oak, Beech & Sugar - " Spice	17, 18	ditto
11, 12	Broken land - " Oak & Hickory &c - " Spice	3, 10	ditto - " ditto - " Spice	8, 17	Level land rich Soil - Tim. Walnut, Elm & Oak, long th Spice, Hazel, Mahogany
1, 12	ditto - " " - Since 1810	3, 4	Broken land - " Sugar & Beech - " Spice & Soapgrass	7, 18	Broken land - Tim. Oak &c - long th Hickory
1, 2	ditto independent Soil - " ditto - Soapgrass & Quercus	32, 33	Level land Rich Soil - " Barrens & Prairie	7, 18	Level land - " Oak & Hickory - " do
34, 35	Level land rich Soil - Tim. Beech, Sugar, Walnut &c - " Spice	28, 33	Low grounds Rich Soil - Tim. Blackberry & Walnut long th Spice	5, 8	ditto - " Beech, Sugar - " Spice &c
26, 25	Broken land rich Soil - " Beech, Sugar &c - " Since	28, 29	Level land independent Soil - " Oak & Hickory - " Hazel	6, 7	ditto independent Soil - Oak & Hickory - Soapgrass
26, 27	Level land rich Soil - " Beech, Sugar, Walnut - " Spice	21, 28	ditto rich Soil - Prairie	5, 0	Level land Rich Soil - Beech & Sugar - " Since &c
23, 26	Level land - " Sugar & Beech - " Spice	20, 21	Level land - Timber Oak & Hazel - long th Hazel		
22, 23	Broken land, Rich Soil - " ditto - do	16, 21	ditto - Timber Oak, Beech & Sugar - " Spice		
14, 23	Level land rich Soil - " ditto - do	16, 17	ditto rich Soil - Barrens & Prairie		
14, 15	Low grounds - " Blackberry, Sugar &c - Since 1810	9, 16	Low grounds - Tim. Walnut Oak, Beech - " Spice		
11, 14	Broken land - " Beech, Sugar, Poplar - " Spice	8, 9	Level land - " Walnut, Sugar &c - " Spice		
10, 11	ditto - " Beech, Sugar, Oak - " Since &c	4, 6	ditto - " Beech, Sugar &c - " Spice		
1	ditto - " Hickory &c - Soapgrass & Quercus	4, 5	ditto - " Oak, Poplar, Beech & Sugar - " Spice		
4	Level land - " Oak, Poplar &c - " Since &c	31, 32	Level Prairie wet - " "		
4	Low grounds, rich Soil - " Blackberry & Walnut - do	29, 32	Wet Prairie		



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 8 N

R 5 W

Township 8 North Range 5 West 2nd Mer. Ind.

C. L. South Boundary, Var. 67 45 E.

Met On the S. side of sec. 36
 27.50 To a creek 5 M. wide cor. N.
 40.00 Set g. sec. post from which
 an ash 24 in. dia. bears S 76 E 24 M. dist
 & a Beech 24 " " " N 24 W 15 " "
 71.00 To a creek 5 M. wide cor. N.
 80.00 Set post cor. to sec. 35 & 36 from which
 a Beech 18 in. dia. bears S 72 E 38 M. dist,
 & a Do. 15 " " " N 82 W 41 " "
 Good Oak land on this line,

Met On the S. side of sec. 35.
 40.00 Set g. sec. post from which
 a Beech 24 in. dia. bears N 30 E 31 M. dist,
 & a Do. 24 " " " S 48 W 35 " "
 62.50 To a creek 8 M. wide cor. NW,
 80.00 Set a post cor. to sec. 34 & 35 from which
 a Sugar 18 in. dia. bears S 42 E 8 M. dist,
 & a Do. 16 " " " N 62 W 50 " "
 Fertilize Sugar tree land

Met On the S. side of sec. 34
 10.00 To a creek 8 M. wide cor. N.
 40.00 Set a g. sec. post from which
 a Hickory 16 in. dia. bears North 2 M. dist,
 & a Do. 10 " " " S 64 E 15 " "
 Rich but hilly land timber. Sugar Ash, Hophorn,
 43.50 To a creek 10 M. wide cor. S. W. (1811.)
 57.50 To the E. bank of White river. (April 18th)
 80.00 Set post cor. sec. 33 & 34 from which
 a Honey Locust 20 in. dia. bears N 42 E 50 M.,
 & a Hackberry 12 " " " S 57 W 45 "
 Part of this mile river bottoms.

Township 8 North Range 5 West 2nd Mer. Ind.

C. L. South Boundary, Var. 6.45 E.

Met On the S. side of sec. 36
 27.50 To a creek 5 M. wide cr. N.
 40.00 Set g. sec. post from which
 an ash 24 in. dia. bears S 76 E 24 M. dist
 & a Beech 24 " " " N 24 W 15 " "
 71.00 To a creek 5 M. wide cr. N.
 80.00 Set post cor. to sec. 35 & 36 from which
 a Beech 18 in. dia. bears S 72 E 38 M. dist,
 & a Do. 15 " " " N 82 W 41 " "
 Good Oak land on this line,

Met On the S. side of sec. 35,
 40.00 Set g. sec. post from which
 a Beech 24 in. dia. bears N 30 E 31 M. dist,
 & a Do. 24 " " " N 48 W 35 " "
 62.50 To a creek 8 M. wide cr. NW,
 80.00 Set a post cor. to sec. 34 & 35 from which
 a Sugar 18 in. dia. bears S 42 E 8 M. dist,
 & a Do. 16 " " " N 62 W 50 " "
 Fruit & Sugar tree land

Met On the S. side of sec. 34
 10.00 To a creek 8 M. wide cr. N.
 40.00 Set a g. sec. post from which
 a Hickory 16 in. dia. bears North 2 M. dist,
 & a Do. 10 " " " S 64 E 15 " "
 Rich but hilly land timbered Sugar Ash, Hickory, &c.
 43.80 To a creek 10 M. wide cr. S. W. (1811.)
 57.50 To the E. bank of White river. (April 18th)
 80.00 Set post cor. sec. 33 & 34 from which
 a Honey Locust 20 in. dia. bears N 42 E 50 M.
 & a Hackberry 12 " " " S 57 W 45 "
 Part of this mile river bottoms.

T. 8 N. R. 5 W. 2nd. New, Ind.

- 40.00 Set g^r. sec. post from which
a Hickory 14 in. dia. bears S 5 W 39th.
An Elm 16 " " " N 10 E 21 "
- 77.75 To the bank of White River.
- 80.00 Corner of sec 1 & 12 in the middle of
the river, sand river bottoms.

North On the E. side of section 1

- 40.00 Set g^r. sec. post from which an
Elm 10 in. dia. bears N 89 W 10th. dia. &
a Red Oak 15 in. dia. bears N 85 E 5th. dia.
This 1/2 mile is wet Maple land.
- 80.00 Set temporary Town corner,
Good land timber Sugar Ash Elm Buckeye &c.
Surveyed in 1811 by Alex. McKees, Jr.

North Boundary,

Var.

- West On S. side of sec. 36 T 9 N R 5 W
- 39.00 To a Creek 12th. wide cr. South
- 40.00 Set g^r. sec. post from which
a Beech 8 in. dia. bears N 63 E 12th.
a Sugar 14 " " " N 47 W 9 " dia.
- 80.00 Set post cor. sec. 35 & 36 from which
a Hickory 12 in. dia. bears N 65 W 30th. dia.
a Dogwood 3 " " " S 61 E 16 " "

West On South side of sec. 35 T 9 N R 5 W

- 40.00 Set g^r. sec. post from which
a W. Oak 14 in. dia. bears S 13 W 36th.
a Do. 18 " " " N 4 E 60 " dia.
- 80.00 Set a post cor. to Sect. 34 & 35 from which
a W. Oak 11 in. dia. bears S 51 W 24th. dia.
a R. Oak 14 " " " N 86 E 47 " "
- Poor Oak & Beech land &c.

T. 8 N. R. 5 W. 2nd. New, Ind.

- West On South side of sec. 34 T 9 N R 5 W
- 40.00 Set g^r. sec. post from which
a Gum 12 in. dia. bears S 45 E 37th. dia.
a W. Oak 15 in. " " " N 56 E 37 " "
- 80.00 Set a post cor. sec. 33 & 34 from which
a Dogwood 4 in. dia. bears S 77 E 10th. dia.
a Ash 14 " " " N 20 W 13 " "
- midling good Oak land.

West On the S. side of sec. 33 T 9 N R 5 W

- 40.00 Set post cor. sec. 34 sec. from which
a Beech 14 in. dia. bears S 29 W 19th. dia.
a W. Oak 24 " " " N 29 E 38 " "
- 45.50 To a Creek 12th. wide cr. S. W.
- 80.00 Set a post cor. sec. 32 & 33 from which
a Gum 16 in. dia. bears N 44 W 41th. dia.
a Do. 28 " " " S 59 E 38 " "
- Land &c. is same as last.

West On South side of sec. 32 T 9 N R 5 W

- 8.00 To a Creek 100th. wide cr. South
- 40.00 Set g^r. sec. post from which
a Beech 13 in. dia. bears N 65 W 44th. dia.
a Do. 20 " " " N 42 E 20 " "
- 64.25 To a Creek 200th. wide cr. S. E.
- 77.00 To El. river 200 " " " N.
- 80.00 Set post cor. sec. 31 & 32 from which
a Hickory 30 in. dia. bears N 55 W 25th. dia.
a Hickory 20 " " " S 44 E 35 " "
- Good land timber is Beech, Sugar Walnut &c.

West On South side of sec. 31 T 9 N R 5 W

- 4.50 To El. river 200th. wide cr. S. E.
- 40.00 Set g^r. sec. post from which
a W. Oak 18 in. dia. bears S 62 W 17th. dia.
a Do. 22 " " " N 15 E 50 " "

T. 8 N. R. 5 W. 2nd Mer. Ind.

- 52.00 To the river 200 lbs. wide in. etc.,
 70.50 " a loc. 200 " " " D.E.
 80.00 To the West boundary, 3 chs. South of
 Lemph. post. & set post on Township
 8 & 9th Ranges 5 & 6 W. from which
 an Oak 12 in. dia. bears N 36 E 46 lbs. dia.
 & a Hickory 13 " " " S 17 W 55 " "
 Land wet river bottom - April 11th 1811.
 Surveyed by Alex^r. Holmes Dep. Sur.

West Boundary.

Var.

- North On the E. side of Sec. 36 T 8 N R 6 W
 40.00 Set gr. sec. post. in prairie, no bearing
 80.00 Set a post cor. Sec. 25 & 36 from which
 a Hickory 12 in. dia. bears N 83 E 83 lbs.
 & no other timber near.
 This mile chiefly prairie

- North On the East side of sec. 25 T 8 N R 6 W,
 40.00 Set gr. sec. cor. post from which
 a Hickory 12 in. dia. bears S 53 E 122 lbs.
 & a - no more timber near,
 80.00 Set a post cor. to sec. 24 & 25 from which,
 a Hickory 15 in. dia. bears S 57 W 25 lbs. dia.,
 & a W. Oak 24 " " " S 35 E 54 " "
 Land level & the timber is Oak &

- North On the East side of sec. 24 T 8 N R 6 W
 40.00 Set gr. sec. post from which
 no bearings - being in prairie
 80.00 Set a post cor. to sec. 13 & 24 from which
 no bearings - being in swamp,

- North On East side of sec. 13 T 8 N R 6 W
 28.50 To a W. Oak 14 in. dia. in the line,

T. 8 N. R. 5 W. 2nd Mer. Ind.

- 40.00 Set a gr. sec. post from which
 a B. Oak 24 in. dia. bears S 60 W 58 lbs.
 & a Loc. 20 " " " N 37 E 42 "
 80.00 Set a post cor. to sec. 12 & 13 from which
 a B. Oak 24 in. dia. bears S 60 W 58 lbs. dia.,
 & a Hickory 16 " " " N 64 E 27 " "
 Land level & the timber is Oak &

- North On the East side of sec. 12 T 8 N R 6 W
 35.50 To a B. Oak 24 in. dia. in the line,
 40.00 Set gr. sec. post from which
 a B. Oak 16 in. dia. bears S 74 W 17 lbs. dia.,
 & a Loc. 15 " " " " "
 80.00 Set a post cor. to sec. 14 & 12 from which
 a W. Oak 15 in. dia. bears S 10 E 83 lbs. dia.,
 no other timber near, Level Oak land

- North On the East side of sec. 12 T 8 N R 6 W
 7.50 To a W. Oak 16 in. dia. in the line,
 40.00 Set gr. sec. post from which
 a W. Oak 3 in. dia. bears S 55 W 20 lbs. dia.,
 & a Hickory 3 " " " S 40 E 53 " "
 80.00 Set temp. Town cor. Poor Oak land
 April 31st 1811. Surveyed by -
 Alexander Holmes, Dep. Sur. -

Subdivisions.

- North Between sections 35 & 36
 10.25 To a Gum 20 in. dia. in the line,
 40.00 Set the gr. sec. post from which
 a W. Oak 18 in. dia. bears S 63 E 31 lbs. dia.,
 & a B. Oak 36 " " " N 57 W 31 " "
 60.00 To a Branch 10 lbs. wide in. East
 64.00 " " " 18 in. dia.
 80.00 Set a post cor. to sec. 25 & 26, 35 & 36
 an Ironwood 8 in. dia. bears N 79 W 28 lbs.,
 & a Sugar 24 " " " N 71 E 63 "

T. & N. R. 5 W. 2nd Mer. Ind^a

Co. L. This mile is level & the timber is
Sugar, Black Walnut &c. N. G. Spruce &c.

East On Random between sec. 25 & 26
32.30 To a creek 30 m. wide cr. S. E.,
40.00 Set a temp. g. sec. post
79.87 To the E. boundy. of sec. 15 th. of
post. Level land timber is Oak Poplar
Black &c. Mud & th. Spruce & Hazel &c.

West Correct the line between sec. 25 & 26
39.93 $\frac{1}{2}$ Set g. sec. post from which a
Gum 36 in dia. bears S 43 $\frac{1}{2}$ E 6 m. dist.
& a Beech 15 " " N 77 W 11 " "
79.87 To the Sec. corner,

North Between sections 25 & 26
14.00 To a Walnut 14 in dia. in the line,
20.50 To a Creek 30 m. wide cr. W.,
40.00 Set g. sec. post from which
a W. Oak 24 in dia. bears N 40 W 18 m.,
& a Beech 12 " " " N 70 E 46 "
54.00 To a Branch 10 m. wide cr. N. E.,
59.00 " " Sugar 15 in dia. in the line
80.00 Set a post cr. sec. 23, 24, 25 & 26,
a Beech 16 in dia. bears S. 28 m. dist.
& a Do. 14 " " " N 40 E 16 " "
Level land & timber Oak Black Sugar
& Mud, & th. Spruce &c.

East On Random between sec. 24 & 25
40.00 Set temp. g. sec. post,
79.90 To the E. line of sec. 20 m. N. of post,

West Correct the line between sec. 24 & 25
39.95 Set g. sec. post from which

T. & N. R. 5 W. 2nd Mer. Ind^a

Co. L. a Gum 8 in dia. bears S 49 E 16 m. dist.
& a Maple 20 " " " N 70 W 6 " "
Level land & the timber is Oak Black
Sugar &c. Mud & th. Spruce &c. —
79.95 To Sec. corner,

North Between sections 23 & 24
30.50 To a Beech 12 in dia. in the line,
40.00 Set g. sec. post from which
a Poplar 63 in dia. bears S 42 E 23 m.,
& a Hickory 12 " " " N 33 W 11 "
80.00 Set a post cr. to sec. 13, 14, 23 & 24
a Beech 24 in dia. bears S 15 E 22 m.,
& a Sugar 8 " " " N 5 E 10 m. dist.
This mile is broken & the timber is
Sugar Black &c. N. G. Spruce &c.

East On Random between sec. 13 & 24
17.00 To a Creek 40 m. wide cr. —
40.00 Set a temp. g. sec. post (= post)
80.10 Intersect the E. line of sec. 20 m. N. of

West Correct the line between sec. 13 & 24
40.05 Set the g. sec. post from which
a W. Oak 8 in dia. bears N 10 W 10 m. dist.,
& a Beech 12 " " " N 70 E 16 " "
80.10 To the section's corner. This mile is
level land & the timber is Sugar Black
& Poplar &c. Mud & th. Spruce &c. —

North Between sections 13 & 14
5.80 To bank of White River, set post,
a Sugar 10 in dia. bears West 15 m. dist.
& a Maple 8 " " " S 35 E 25 " "
17.90 Over White river. Set post from which
an Ash 10 in dia. bears N 40 E 20 m. dist.

T. & N. R. S. W. 2nd. New, Ind.^a

- 61.00 Set a Red bud 8 in. dia. bears S 65 W 40th.
 40.00 Set gr. sec. post from which an
 Elm 48 in. dia. bears N 20 E 40th dia.
 & a Sugar 20 " " " S 70 W 39 " "
 80.00 Set a post cor. to sec. 11, 12, 13 & 14
 a W. Oak 20 in. dia. bears N 75 W 19th.
 & a Hickory 14 " " " S 48 E 29 "
 This line is in river bottoms & the timber
 is Walnut, Buck Sugar &c. M. & S. Spruce &c.

East Between sections 12 & 13,
 34.00 To White river & set post from which
 a Sugar - in. dia. bears S 12 W 6th dia.,
 & a Spruce 15 " " " N 20 E 7 " "
 Land river bottoms low. Timber, Hackberry
 Sugar Buck &c. M. & S. Spruce rich soil

West Between sections 12 & 13.
 39.75 To E side of White River set post
 a Buck 14 in. dia. bears S 17 W 8th.
 & an Elm 8 " " " N 55 E 15 "
 Land low river bottoms Timber is
 Buck Walnut Hackberry &c. Under
 growth is Spruce &c. -

North Between sections 11 & 12
 39.30 To a Spanish Oak 48 in. dia. in line
 40.00 Set gr. sec. post from which
 a Hickory 15 in. dia. bears N 34 E 22th.
 & an Ash 5 " " " S 32 W 25 "
 80.00 Set a post cor. to sec. 1, 2, 11 & 12 from wh.
 a W. Oak 12 in. dia. bears N 64 E 59th.
 & a Hickory 6 " " " S 61 W 19 "
 This mile over broken land good soil
 Timber Oak Hickory &c. M. & S. Spruce &c.

T. & N. R. S. W. 2nd. New, Ind.^a

East On Random between sec. 1 & 12
 40.00 Set a temporary, gr. sec. post
 70.50 Intersect White River & set post from which
 a Hickory 15 in. dia. bears N 46 E 13th dia.,
 & a Red Hawk 8 " " " S 71 W 12 " "
 Land broken, soil good. Timber is
 Oak Hickory &c. M. & S. Spruce &c.

West Between sec. 1 & 12. (Corrected.)
 28.50 Set gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears S 33 E 20th dia.,
 & a Hickory 12 " " " S 63 E 28 " "
 68.58 To the sec. corner,

North Between sections 1 & 2
 27.50 To a Branch 6th wide cor. N. E.
 29.56 " " Do. 4 " " " E.
 40.00 Set gr. sec. post from which
 a Bl. Oak 24 in. dia. bears S 10 W 13th.
 & a W. Oak 10 " " " N 57 E 23 "
 64.70 To a Branch 6th wide cor. N. E.
 74.54 To the st. boundary. set post from wh.
 a Hickory 12 in. dia. bears S 65 W 13th dia.,
 & a W. Oak 30 " " " N 65 E 58 " "
 This line is over broken land & the
 timber is Oak & Hickory &c. M. & S. Spruce &c.

North Between sections 34 & 35
 5.00 To a Branch 10th wide cor. W.
 40.00 Set gr. sec. post from which
 a Sugar 20 in. dia. bears N 20 W 31th.
 & a Hickory 15 " " " S 11 W 18th dia.
 54.70 To a Spanish Oak 36 in. dia. in line.
 80.00 Set a post cor. to sec. 26, 27, 34 & 35
 no hearings - Level rich soil &
 timber Buck, Sugar Walnut &c. Spruce &c.

T. 8 N. R. 5 W. 2nd. New. Ind. a

East On Random between sec. 26 & 35
 17.50 To a Branch 15 lbs. wide en. N.W.
 40.00 Set a temporary g. post
 79.96 To the E. line of sec. 20 th. et. off post

West Correct the line between sec. 26 & 35
 39.96 set g. sec. post from which
 a Sugar 15 in. dia. bears S 45 E 7 lbs.
 & a Buck 18 " " " N - 18 lbs. dia.
 79.96 To the sec. corner,

South Between sections 26 & 27

38.50 To a Branch 10 lbs. wide en. W
 40.00 Set g. sec. post from which
 a Buck 30 in. dia. bears N 42 W 54 lbs.
 & a Do. 14 " " " S 70 E 12 " dia.
 67.50 To a Buck 30 in. dia. in the line,
 80.00 Set a post cor. to sec. 26, 27, 34 & 35
 a W Oak 18 in. dia. bears N 70 W 12 lbs. dia.
 & a Buck 18 " " " N 57 E 42 " "
 Level land & timber is Buck Sugar
 Walnut &c. Mud, Gth. Spice &c.

East On Random Between sec. 23 & 26
 40.00 Set temp. g. post
 80.20 To the E. line of sec. at post

West Correct the line between sec. 23 & 26
 40.10 Set g. sec. post from which
 a Buck 14 in. dia. bears N 35 E 25 lbs.
 & a Sugar 18 " " " S 35 W 21 "
 Level land, timber Buck & Sugar &c.
 Mud, Gth. Spice &c.

South Between sections 22 & 23.

35.50 To a Branch 10 lbs. wide en. E,

T. 8 N. R. 5 W. 2nd. New. Ind. a

40.00 Set g. sec. post from which
 a Buck 8 in. dia. bears S 34 E 16 lbs. dia.
 & a W Oak 14 " " " West 25 " "
 80.00 Set a post cor. sec. 22, 23, 26 & 27 from which
 a Buck 36 in. dia. bears N 45 E 3 lbs. dia.
 & a Do. 14 " " " S - E 45 " "
 Land broken & the timber is Sugar &
 Buck &c. Mud, Gth. Spice &c.

West Between sections 14 & 23

37.50 To a Branch 15 lbs. wide en. S,
 40.00 Set g. sec. post from which
 a Sugar 10 in. dia. bears N 4 E 16 lbs.
 & a Walnut 8 " " " N 85 W 7 "
 45.00 To a Sugar 24 " " in the line
 80.00 Set a post cor. sec. 14, 15, 22 & 23,
 a Maple 6 in. dia. N 7 E 8 lbs. dia. &
 a Do. 8 " " " S 54 E 3 " "
 Land broken & the timber is Sugar
 Buck &c. Mud, Gth. Spice &c.

North Between sections 14 & 15

40.80 Set g. sec. post from which
 a Buck 24 in. dia. bears S 22 W 7 lbs. dia.
 & an Ironwood 6 " " " N 40 E 10 " "
 corner is on bank of White River,
 Low ground, timber Hackberry, Sugar &c.
 Mud, Gth. Spice &c.
 44.75 Over River & set post on N bank -
 an ash 36 in. dia. bears S 86 E 7 lbs.
 & a - 8 " " " N 74 W 35 "
 80.00 Set post for cor. sec. 10, 11, 14 & 15 from which
 a Hackberry 18 in. dia. bears S 33 W 4 lbs. dia.
 & a W Oak 10 " " " N 60 E 32 " "

East On Random between sec. 11 & 14

T. S. N. R. 5 W. 2^d New Ind.

- 20.25 To a Poplar 50 in dia. in the line,
 25.50 " " Branch 15 lbs. wide en. S,
 40.11 Set a temp. g. post
 80.00 To the E. line of Sec. at post.

West Connect the line between sec. 11 & 14

- 40.00 Set g. sec. on post from which
 a W. Oak 18 in dia. bears S 39 W 3 lbs. dia.,
 & a Sugar 10 " " " N 29 W 18 " "
 80.00 To Sec. corner, Land broken & the
 timber is Beech Sugar Poplar &
 mudgrowth Spice & Rich soil -

North Between sections 10 & 11

- 40.00 Set g. sec. post from from which
 a Beech 8 in dia. bears N 28 E 19 lbs.,
 & an Ash 18 " " " S 71 W 21 " dia.,
 50.00 To a W. Oak 20 " " in the line,
 80.00 Set a post on sec. 2, 3, 10 & 11 -
 a W. Oak 18 in dia. bears N 88 W 24 lbs.,
 & a Do. 14 " " " N 81 E 38 " dia.,
 This mile broken & the timber is
 Oak Beech & mud & the Spice &
 Rich soil in this mile,

West Between sections 2 & 11

- 30.00 To a Spanish Oak 36 in dia. in line
 40.00 Set a g. sec. post from which
 a B. Oak 30 in dia. bears N 10 E 34 lbs.,
 & a Norway 6 " " " S 52 W 23 "
 80.00 To the Section corner, This line is
 over broken land & the timber is
 Oak Hickory & mud & the Sassafras &
 Hazel & soil good for farming
 February 13th 1815.

T. S. N. R. 5 W. 2^d New Ind.

North Between sections 2 & 3.

- 35.70 To a Poplar in the line
 40.00 Set g. sec. post from which
 an Ash 14 in dia. bears S 61 W 60 lbs. dia.,
 & a Beech 18 " " " N 78 E 55 " "
 75.00 To the N. boundary, where set post,
 a W. Oak 20 in dia. bears N 85 W 8 lbs. dia.,
 & a Do. 20 " " " S 70 E 40 " "
 This mile level & the timber is Oak Poplar
 & mud, & the Spice & Rich soil,

North Between sections 33 & 34

- 4.00 To Bank of White River, S. side,
 10.00 Over River & set post on N. side -
 a Sugar 10 in dia. bears N 20 E 8 lbs. dia.,
 & an Ash 15 " " " N 40 W 20 " "
 30.00 To S. side of White river again set post,
 a Beech 15 in dia. bears S 15 W 30 lbs. dia.,
 & a Sugar 12 " " " S 25 E 40 " "
 42.72 To N. W. bank & set post from which
 a Sycamore 8 in. dia. bears S 25 E 10 lbs. dia.,
 & a Maple 5 " " " N 15 E 14 " "
 68.81 To the River again 575 lbs. wide set post,
 a Cottonwood 24 in. dia. bears S 57 W 14 lbs.,
 & a Maple 10 " " " N 88 E 27 "

South Between sections 33 & 34 -

- 4.00 To N. bank of White River set post
 a Willow 6 in dia. bears N 57 - 7 lbs. dia.,
 & a Do. 8 " " " N 70 E 10 " "

West Between sections 27 & 34

- 5.00 To a Creek 3 lbs. wide en. S. W.,
 40.11 Set g. sec. post from which
 a Hickory 10 in dia. bears N 10 E 23 lbs.,
 & a Walnut 8 " " " N - W 6 " dia.,
 80.00 To the Section corner, from which

T. 8 N. R. 5 W. 2nd Mer. Ind.

C. L. a Mulberry 12 in. dia. bears N 61° 15' W 12',
 & a Hackberry 20 " " " N 53° W 12'.

North Between sections 27 & 28,
 15.50 To an Ash 18 in. dia. in the line,
 40.00 Set a gr. sec. post from which
 a Beech 24 in. dia. bears N 37° 29' W 12',
 & a Hackberry 18 " " " N 40° E 4'.
 80.00 Intersect N. line of sec. at post (cor.,
 of sec. 22, 21, 27 & 28.) This mile is
 low ground & the timber is Hackberry,
 Buck & Sugar, Middle & Spice, rich soil.

West Between sections 22 & 27.
 40.00 Set gr. sec. post from which
 a Beech 8 in. dia. bears N 68° W 12' 1/2',
 & a Do. 10 " " " N 87° E 26' " "
 50.50 To a Hickory 36 in. dia. in line,
 80.00 Set post cor. sec. 21, 22, 27 & 28 from which
 a Hackberry 18 in. dia. bears N 58° W 6' 1/2',
 & a Do. 15 " " " N 88° E 16' " "
 Land level & the timber is Hackberry,
 Walnut Sugar & Middle & Spice &c.

North Between sections 21 & 22.
 30.00 To White River. Offset 250 yds. East
 " 10.00 " North
 (40.00) Reduce offset & leave bend of River,
 63.00 Intersect S. bank of White River again
 Set a post on bank from which
 an Elm 14 in. dia. bears N 39° E 12',
 & a Hackberry 8 " " " N 20° E 30' " " " "
 (69.00) Over White River set post on N. bank
 a Willow 10 in. dia. bears S 50° E 7' 1/2',
 & a Do. 8 " " " N 37° W 8' " "
 80.00 Set post cor. sec. 15, 16, 21 & 22 from which,

T. 8 N. R. 5 W. 2nd Mer. Ind.

C. L. a Beech 14 in. dia. bears S 80° E 30' 1/2',
 & a Do. 10 " " " N 63° W 43' " "

East Between sections 15 & 22,
 14.50 To a Gum 30 in. dia. in the line,
 40.00 Set gr. sec. post from which
 a Walnut 7 in. dia. bears S 20° W 12',
 & a Do. 10 " " " N 45° E 20' " " " "
 53.00 To bank of White River set post
 a Beech 24 in. dia. bears S 40° E 18' 1/2',
 & an Ironwood 8 " " " N 71° W 18' " "
 This line low ground, timber Hackberry,
 Sugar Walnut &c. Middle & Spice. Rich soil.

West Between sections 15 & 22
 8.50 To bank of White River set post from which,
 a Willow 8 in. dia. bears N 50° W 5' 1/2',
 & a Do. 6 " " " S 30° E 10' " "

North Between sections 15 & 16
 40.00 Set gr. sec. post from which
 a W. Oak 30 in. dia. bears N 58° W 12',
 & a Do. 18 " " " N 82° E 21' "
 80.00 Set a post cor. to sec. 9, 10, 15 & 16
 a Beech 18 in. dia. bears N 55° W 40',
 & a Do. 12 " " " S 85° E 13' "
 Land broken good soil & the timber
 is Beech, Sugar Ash &c. Middle & Spice &c.

East On Random between sec. 10 & 15
 40.00 Set a temporary gr. post,
 80.00 Intersect E. line of sec. of post

West correct the line between sec. 10 & 15
 40.00 Set gr. sec. post from which
 a W. Oak 15 in. dia. bears N 45° E 46',
 & a Do. 18 " " " N 65° W 33' "

T. & N. R. & W. 2nd. New. Ind.

80.00 To the Sec. corner, Broken land & good soil & the timber is Oak, Beech Walnut Sugar &c. Mid. & th. Spruce &c.

North Between sections 9 & 10

15.00 To a creek 20 th. wide cr. W.
19.75 " " Beech 20 in. dia. in the line
40.00 Set gth Sec. post from which
a Gum 20 in. dia. bears N60W81 th.,
& a Hickory 15 " " " N10E23 "
80.00 Set a post cr. sec. 3, 4, 9 & 10 from which
a Walnut 24 in. dia. bears N63E16 th.,
& a Beech 14 " " " S87W40 "
This line is level & the timber is Oak
Oak Poplar &c. Mid. & th. Spruce Rich Soil,

East On Random between Sec. 3 & 10

40.00 Set a temporary gth Sec. post,
80.00 Intersect E. line of Sec. at post,

West Correct the line between Sec. 3 & 10

40.00 Set gth Sec. post from which
a Gum 20 in. dia. bears S77E10 th. dist.
& a Sugar 20 " " " N77W31 " "
80.00 To the Sec. corner,
Land level & the timber is Oak Beech
Poplar, Sugar &c. Mid. & th. Spruce &c. rich soil

North Between sections 3 & 4

25.50 To a Poplar 24 in. dia. in the line,
40.00 Set post for gth Sec. cr. from which
a Beech 10 in. dia. bears N63W22 th.,
& a Poplar 12 " " " N19E20 " dist.
75.60 Intersect N. boundg. of Township
a W. Oak 20 in. dia. bears S36W37 th. dist.
& an Ash 10 " " " N3W48 " "

T. & N. R. & W. 2nd. New. Ind.

Cr. Sec. Broken land & the timber is Oak
Beech, Poplar &c. Mid. & th. Spruce, rich soil

North Between sections 32 & 33,

5.40 To a Poplar 20 in. dia. in the line,
5.50 " " Branch 8 th. wide cr. S.E.,
25.00 Entered low ground
40.00 Set gth Sec. post from which
a Sassafras 8 in. dia. bears N75E29 th.,
& an Elm 15 " " " S65W39 "
59.50 To a Branch 10 th. wide cr. W.,
75.00 Entered a prairie
80.00 Set a post cr. to sec. 28, 29, 32 & 33,
cr. in E. side of large prairie. (no bear?)

East Between sections 28 & 33

5.00 Leave prairie & Enter timber
7.75 To a Hickory 12 in. dia. in the line
40.00 Set a gth Sec. post from which
an Elm 4 in. dia. bears N42W4 th. dist.,
& a Sugar 12 " " " N17E49 " "
This $\frac{1}{2}$ mile over low ground, rich soil
& the timber is Oak Walnut &c. N.S. Spruce,
44.79 Intersect bank of White River, set post,
a Willow 8 in. dia. bears N23E14 th. dist.
& a Cottonwood 8 " " " S33W29 " "
50.29 Over River to post on opposite bank,
West Between sec. 28 & 33,

31.00 To bank of White River set post,
a Maple 14 in. dia. bears S53 th. dist.
& an Elm 6 " " " S75W7 " "

North Between sections 28 & 29

39.00 Timbered land
40.00 Set gth Sec. post from which
a W. Oak 10 in. dia. bears N. 46E44 th. dist.

T. 8 N. R. 5 W. 2nd. New, Ind.^a

C. L. Ka B. Oak 8 in. dia. bears S26W14 1/2 mi. dist.
 71.30 To a Do. 20 " " in the line,
 80.00 Set a post cor. sec. 20, 21, 28 & 29 from wh.
 a B. Oak 36 in. dia. bears S64W8 1/2 mi. dist.
 & a Hickory 10 " " " N81E75 " "
 This mile is level land. Timber Oak &
 Hickory &c. Mud. Lth. Hazel &c. —

East Between sections 21 & 28

40.00 Set g. Sec. post from which
 a W. Oak 14 in. dia. bears S82W36 1/2 mi. dist.
 & a Do. 12 " " " N52E60 " "
 65.69 Intersect White River & set post from wh.
 a Beech 21 in. dia. bears N2E6 1/2 mi. dist. &
 an ash 18 " " " S65W20 " "
 Land level & the timber is Oak Hickory
 &c. Mud. Lth. Spruce &c. — rich soil

West Between sections 21 & 28,

5.00 To White River & set post from which
 a Maple 10 in. dia. bears N31W7 1/2 mi. dist.
 & a Do. 10 " " " S2E7 " "

North Between sections 20 & 21

25.00 Enter a prairie
 40.00 Set g. Sec. post in prairie
 55.00 Leave the prairie
 80.00 Set post for cor. sec. 16, 17, 20 & 21 in
 open barrens, from which a
 Post Oak 12 in. dia. bears S80W50 1/2 mi. dist.
 This mile level & the timber is Oak & Hickory
 & the Mud. Lth. is Hazel &c. —

East On Random between sec. 16 & 21

35.40 To a branch 20 mi. wide en. E,
 40.00 " Do. 20 " " " S. (set temp. post, 1/2 p. 5.)
 45.00 " El. river 200 mi. wide en. S.

T. 8 N. R. 5 W. 2nd. New, Ind.^a

80.10 Intersect E. line of sec. 20 1/2 mi. S. of post

West Correct the line between sec. 16 & 21

40.05 Set g. Sec. post from which
 a Maple 30 in. dia. bears S55W42 1/2 mi.
 & a Beech 20 " " " N2E24 " dist.

80.10 To the section corner, land level & the
 timber is Beech, Oak & Sugar &c. Mud. Lth.
 Spruce &c. Rich soil —

North Between sections 16 & 17 (of a hill)

40.00 Set g. Sec. post in open Barrens on E. side.
 80.00 Set a post cor. sec. 8, 9, 16 & 17 from which
 an Ash 6 in. dia. bears S20W24 1/2 mi. dist.
 & an Oak 10 " " " N25W34 " "
 Land, level barrens & prairie —

East On Random between sec. 9 & 16

10.00 To a Branch 15 mi. wide en. NW.
 23.33 To El. river 300 mi. wide en. SE.
 40.00 Set temp. g. Sec. post
 40.50 To El. river 256 mi. wide en. N,
 52.00 " Do. " 265 " " " South,
 80.00 Intersect E. line of sec. 24 post.
 This line over low ground, good soil
 Timber, Walnut, Oak Beech &c. Mud. Spruce &c.

West Correct the line between sec. 9 & 16

40.00 Set g. Sec. post from which
 an ash 18 in. dia. bears S28W23 1/2 mi.
 & a Sycamore 20 in. dia. " N47E11 "
 80.00 To the Sec. corner.

North Between sections 8 & 9

2.50 To a Branch 15 mi. wide en. E,
 29.00 " " Safford 30 in. dia. near the bank

T. & N. R. 5 W. 2nd Mer. Ind.

To E. of Eel river, running with the bank 12th ^{to N.E.}

40.00 Set g. Sec. post from which
a Mulberry 5 in. dia. bears S 41 E 10th N. 1/2,
a Walnut 15 " " " N 31 W 14 " "

47.91 To Eel river 200th wide on E.

80.00 Set a post for cor. sec. 4, 5, 8 & 9
a Birch 24 in. dia. bears S 71 E 15th N. 1/2,
a Do. 15 " " " S 79 W 30 " "
Land over low ground, Timber Spruce,
mow. Walnut Sugar &c. N. 2. Spruce &c.

East On Random between sec. 4 & 9

40.00 Set temporary g. Sec. post,
80.00 To E. boundary of sec. at post,

West Correct the line between sec. 4 & 9

40.00 Set g. Sec. post from which
an Oak 20 in. dia. bears S 77 W 10th N. 1/2,
a Birch 20 " " " N 80 W 31 " "

80.00 To the section corner,
Land level & the timber is Oak Birch
Poplar &c. Mud, 5th, Spruce &c. — Rich soil,

North Between sections 4 & 5

25.30 To a Birch 18 in. dia. in the line,
40.00 Set g. Sec. post from which
a Sugar 10 in. dia. bears S 60 W 15th,
a Do. 12 " " " N 6 E 16th N.

62.00 To a Branch 20th wide on W.

76.00 To the N. boundary, set post from which
a Span. Oak 36 in. dia. bears S 73 W 15th N.,
a Birch 8 " " " S 74 E 8 "

Land level & the timber is Oak,
Poplar, Birch, Sugar &c. Mud, 5th, Spruce
& the soil is rich —

T. & N. R. 5 W. 2nd Mer. Ind.

North Between sections 31 & 32

40.00 Set g. Sec. post in prairie

80.00 Set a post cor. sec. 29, 30, 31 & 32

This mile level & wet prairie

West Between sections 30 & 31

40.00 Set g. sec. post in prairie

80.60 Intersect W. boundary, or Range line,
in prairie — all wet prairie

East On Random between sec. 29 & 32

40.00 Set temporary g. Sec. post in prairie

80.04 Intersect E. line of sec. at post in 20.

West Correct the line between sec. 29 & 32

40.02 Set g. Sec. post for, sh. no bearings

80.04 To the section corner, all prairie
rich soil —

North Between sections 29 & 30

40.00 Set g. Sec. post in prairie

80.00 Set a post cor. sec. 19, 20, 29 & 30
in prairie. — all prairie & rich soil,

West Between sections 19 & 30

40.00 Set g. Sec. post in prairie

80.90 To the Range line in prairie
Land level & all wet prairie

East On Random between sec. 20 & 29

40.00 Set a temporary g. Sec. post,

80.00 To the E. boundary of sec. at post,

West Correct the line between sec. 20 & 29

40.00 Set g. Sec. post in prairie

80.00 To the section corner, all this is

T. & N. R. 5 W. 2nd. Nev. Ind.^a

Co. L. is prairie & Barren, Oak & Hickory &c.

North Between sections 19 & 20 in prairie

40.00 Set g^r. Sec. post in prairie

50.00 Enter timber land,

80.00 Set a post cor. sec. 17, 18, 19 & 20 from wh.
a Br. Oak 24 in dia. bears N 84 W 47th M.
& a Hickory 14 " " " N 77 E 33 "

This mile level barren & prairie & the soil indifferent & the timber Oak &c.

East On Random between sec. 17 & 20

20.75 Enter a prairie

40.00 Set a temporary g^r. Sec. post in prairie

80.00 Set a post. Inters. E. line of sec. at post,

West Correct the line between sec. 17 & 20

40.00 Set g^r. Sec. post in prairie

80.00 To the section corner,

Level barren & prairie & the timber is Oak & Hickory &c. ... mud, & the, Hickory & indifferent soil.

West Between sections 18 & 19

15.00 To a Creek 20 M. wide cor. N.

40.00 Set g^r. Sec. post from which
a Br. Oak 14 in dia. bears N 23 E 45th M.
& a Hickory 10 " " " S 9 W 38 "

60.00 Enter a wet prairie

80.50 Inters. Range in prairie

Land level & the timber is Oak & Hickory &c. mud, & the, Hickory &c.

North Between sections 17 & 18

40.00 Set g^r. Sec. post from which

a W. Oak 20 in dia. bears N 16 W 47th M.

T. & N. R. 5 W. 2nd. Nev. Ind.^a

Co. L. & a Hickory 14 in dia. bears S 17 E 41th M.

55.00 Enter a swamp 900 M. wide cor. N.

80.00 Set a post cor. sec. 7, 8, 17 & 18 from which
a Hickory 4 in dia. bears S 20 E 5th M. S. &
& a Br. 40 " " " N 13 W 6 " "
Land level & the timber is Oak & Hickory,
& the mud, & the, Hickory &c. poor soil.

West Between sections 8 & 14

8.50 To a Branch 15 M. wide cor. N.

37.50 To a W. Oak 18 in dia. in the line.

40.00 Set g^r. Sec. post from which
a Walnut 12 in dia. bears N 23 W 12th M.
& a Red lead 6 " " " S 15 W 20 "

this 1/2 mile level land soil rich & the timber is Oak Hickory & Elm & the mud, & the, is Spruce &c.

80.00 Inters. E. line of sec. at corner,

This 1/2 mile is level & rich & the timber is Walnut Elm Oak &c. & the mud, growth is Spruce Hazel & Sassafras &c.

West Between sections 7 & 18

7.70 To a Br. Oak 30 in dia. in the line

40.00 Set g^r. Sec. post from which
a Hickory 8 in dia. bears N 40 E 9th M. S. &
& a Br. 8 " " " S 69 E 10 " "

Broken land soil good & the timber is Oak &c. mud, & the, Sassafras &c.

80.77 Inters. Range line 343 M. S. of post
where set post cor. sec. 7 & 18 from which
a Hickory 12 in dia. bears N 31 E 24th M. S. &

& a Hickory 12 " " " S 53 E 24 " "
This half mile on broken land & timber Oak &c. —

T. & N. R. 5 W. 2nd. Nov. Ind.^a

Co. L. is prairie & Barren, Oak & Hickory &c.

North Between sections 19 & 20 in prairie

40.00 Set g^r. Sec. post in prairie

50.00 Enter timber land,

80.00 Set a post cor. sec. 17, 18, 19 & 20 from wh.
a Bl. Oak 24 in dia. bears N 84 W 47 N.
& a Hickory 14 " " " N 77 E 33 "

This mile level barren & prairie & the
soil indifferent & the timber Oak &c.

East On Random between sec. 17 & 20

20.75 Enter a prairie

40.00 Set a temporary g^r. Sec. post in prairie

80.00 Set a post. Enter to line of sec. at post,

West Correct the line between sec. 17 & 20

40.00 Set g^r. Sec. post in prairie

80.00 To the section corner.

Level barren & prairie & the timber,
is Oak & Hickory &c. . . Under, g^r.
Hickory & indifferent soil.

West Between sections 18 & 19

15.00 To a Creek 20 ft. wide cor. N.

40.00 Set g^r. Sec. post from which
a Br. Oak 14 in dia. bears N 23 E 45 N.
& a Hickory 10 " " " S 9 W 38 "

60.00 Enter a wet prairie

80.50 Intersect Range in prairie

Land level & the timber is Oak &
Hickory &c. Mud. g^r. Hickory &c.

North Between sections 17 & 18

40.00 Set g^r. Sec. post from which

a W. Oak 20 in dia. bears N 76 W 47 N.

T. & N. R. 5 W. 2nd. Nov. Ind.^a

Co. L. & a Hickory 14 in dia. bears N 17 E 40 N.

55.00 Enter a swamp 700 ft. wide cor. N.E.

80.00 Set a post cor. sec. 17 & 18 from which
a Hickory 4 in dia. bears S 20 E 5 N. and
& a Br. 40 " " " N 13 W 6 " "

Land level & the timber is Oak & Hickory,
& the Mud. g^r. Hickory &c. poor soil.

West Between sections 8 & 17

8.50 To a Branch 15 ft. wide cor. N.E.

37.50 To a W. Oak 18 in dia. in the line.

40.00 Set g^r. Sec. post from which
a Walnut 12 in dia. bears N 23 W 12 N.
& a Red Oak 6 " " " S 15 W 20 "

this 1/2 mile level land soil rich & the
timber is Oak Hickory & Elm & the Mud,
g^r. is Spruce &c.

80.00 Intersect E. line of sec. at corner.

This 1/2 mile is level & rich & the
timber is Walnut Elm Oak &c. & the Mud,
growth is Spruce Hazel & Sassafras &c.

West Between sections 7 & 18

7.70 To a Bl. Oak 30 in dia. in the line

40.00 Set g^r. Sec. post from which
a Hickory 8 in dia. bears N 40 E 9 N. dist.
La. Br. 8 " " " S 69 E 10 " "

Broken land soil good & the timber is
Oak &c. Mud. g^r. Sassafras &c.

80.79 Intersect Range line 343 ft. S. of post
where set post cor. sec. 7 & 18 from which
a Hickory 12 in dia. bears N 31 E 24 N. dist.
& a Hickory 12 " " " S 53 E 24 " "

This half mile on broken land &
timber Oak &c. —

T. & N. R. 5 W. 2nd Mer. Ind.

North Between sections 7 & 8,

- 5.00 To a Bl. Oak 15 in. dia. in the line,
 40.00 Set gr. Sec. post from which
 a Bl. Oak 36 in. dia. bears N 89° W 60 m,
 80.00 Set a post 20 in. dia. 5.6.7 & 8 from which
 an Oak 36 in. dia. bears N 11° W 16 m. dia.
 & a Hickory 14 in. " " N 21° E 49. "
 This mile is level & timber is Oak &
 Hickory &c. Mud, sth. Sapafraz &c.

West Between sections 6 & 7

- 40.00 Set gr. Sec. post from which
 a W. Oak 15 in. dia. bears N 38° E 29 m,
 & a Bl. Oak 30 " " " S 34° W 59 "
 78.40 Intersect Range line & set post from which
 a Bl. Oak 8 in. dia. bears N 82° E 5 m,
 & a Bl. Oak 6 " " " S 24° W 59 "
 Level land & the timber is Oak & Hickory
 Mud & sth. Sapafraz. indifferent soil,

East On Range between sections 5 & 8,

- 40.00 Set a temporary gr. Sec. post,
 53.00 To El river 250 m. wide on S.
 80.15 Intersect the E. line of sec. 25 m. N.
 of post. (The gr. post. in a pond 300 m,
 wide & 10.00 long ch. & S. —

West Corrupt the line between sec. 5 & 8,

- 40.07 Set gr. Sec. post from which
 no bearings - being in pond,
 80.15 To the Section corner,

North Between sections 5 & 6,

- 30.50 To a Spanish Oak 24 in. dia. in line
 40.00 Set gr. Sec. post from which
 a Hickory 12 in. dia. bears N 80° W 30 m,

T. & N. R. 5 W. 2nd Mer. Ind.

- 6.20 To a W. Oak 14 in. dia. bears N 32° E 22 m,
 61.50 To El river 250 m. wide on S.E.,
 76.77 Intersect N. boundary. Set post cor.
 of sec. 5 & 6. From which a
 Hickory 15 in. dia. bears S 28° W 11 m. dia.
 & an Ironwood 10 in. dia. " N 45° E 6 " "
 Land level, timber Buck Sugar & the
 Mud, sth. Shio & soil rich &c

Meanders of White River in T. & N. R. 5 W.

Begin at post in Town line, S. side of
 sec. 34. N. side of River - Up stream,

- Como 6.20 River 580 m. wide,
 N 56° W 6.00
 N 88° W 9.30 To line between sec. 33 & 34

N 88° W 7.42 In sec. 33,

N 75° W 3.00

N 57° E 17.00

N 75° W 8.50

N 61° W 7.50

N 31° W 5.70

N 4° W 7.38

N 43° E 9.30

N 63° E 9.91

S 85° E 10.29

N 88° E 15.50

N 80° E 8.75

at 4.41 m. To line between sec. 33 & 34

N 63° E 15.00

In sec. 34

N 31° E 12.00

N 17° W 10.00

N 65° W 10.00

S 71° W 9.50

N 53° W 4.25

To line between sec. 33 & 34

T. S. N. R. 5 W. 2nd. Mer. Ind.^a

Cromie Co. La. Meanders continued.

N53W 14.00 In sec. 33.

N82W 3.77

N87W 5.47

N66W 11.50

N34W 10.70

N11W 7.94

To line between sec. 28 & 33

N10W 13.00

River 575 ft. wide

N47W 9.00

In sec. 28

N23W 9.00

N23E 8.00

N50E 10.00

N83E 14.72

N62E 9.50

N48E 2.50

N25E 6.00

N15W 18.00

N8E 9.00

To line between sec. 28 & 29,

N7E 42.00

In sec. 21.

N23W 11.00

River 675 ft. wide,

N5E 4.68

Intersected by river 208 ft. wide

N23E 5.58

course N85W,

N42E 8.00

N64E 7.85

To line between sec. 21 & 22,
Branch 3 ft. wide

N66E 6.44

In sec. 22. River 500 ft. wide

N54E 21.50

N58E 23.00

N87E 9.00

N27E 17.50

N36E 17.00

N15W 5.00

N75W 10.00

N58W 4.00

" " 9.50

River 480 ft. wide

To line between sec. 15 & 22,

In sec. 15

Compd

T. S. N. R. 5 W. 2nd. Mer. Ind.^a

Cromie Co. La. Meanders continued.

N34W 12.50 In sec. 15

N40E 8.50

N4E 20.00

a Bluff gradual descent

N57E 7.50

N89E 28.00

To post between sec. 14 & 15,
River 475 ft. wide.

N82E 14.50

In sec. 14.

N75E 11.50

To a creek 20 ft. wide

N65E 7.50

N59E 9.66

N20E 7.00

N15W 12.50

N3E 7.81

N70E 6.50

N80E 13.35

N66E 15.00

N73E 6.00

N30E 11.50

To line between sec. 13 & 14
River 5 ft. wide

N49E 11.00

In sec. 13,

N74E 13.50

N54E 9.00

N6E 6.50

N6W 26.00

N11E 12.50

N30E 19.00

at 9 ch. To line between sec. 12 & 13.
River 5 ft. wide.

N22E 61.00

In sec. 12

N4E 8.00

N44E 5.50

Intersected line between sec. 14 & 12

N95E 4.50

In sec. 1 -

T. 8 N. R. 5 W. 2nd Mer. Ind.^a

Corne Co. Li. Meanders continued
1836 2.50 Interest Range line betw. 485 W

Surveyed in February 1815. By
John Mc Donald Sep. Mer.

West Between Sections 19 & 30
40.00 Set q^r. Sec. post in prairie
No bearings
80.90 Interest Range line in prairie
Land level with prairie -

End of Vol. 5.

I Certify that this volume contains a true Record
of the Field notes of the public Survey indicated
therein, contained on pages One to four hundred
& eighty eight inclusive; the same having been
carefully compared with the original Field notes
on file in this Office.

Surveyor General's Office

Cincinnati, April 11. 1845

William Johnston
Sur. Gen.^l